Message

From: rogers, rick [rogers.rick@epa.gov]

Sent: 10/18/2018 8:07:05 PM

To: Crumlish, Karen [Crumlish.Karen@epa.gov]; Bennett, James [bennett.james@epa.gov]; Reinhart, Roger

[Reinhart.Roger@epa.gov]; Rowsey, Kevin [rowsey.kevin@epa.gov]

Subject: FW: PFAS Questions from ATSDR (Martinsburg)

Attachments: 2018 10 18 ATSDR PFAS data request Martinsburg WV.pdf

FYI

Rick Rogers, Associate Director
Office of Drinking Water and Source Water Protection
Water Protection Division (3WP20)
U.S. EPA Region III
1650 Arch Street
Philadelphia, PA 19103
rogers.rick@epa.gov

Office: 215.814.5711 Cell: 215.341.4762

From: Werner, Lora

Sent: Thursday, October 18, 2018 3:35 PM **To:** Walter M Ivey <Walter.M.Ivey@wv.gov>

Cc: hjn7@cdc.gov; rogers, rick <rogers.rick@epa.gov>; Hirsh, Steven <Hirsh.Steven@epa.gov>; Sautner, Jason

(ATSDR/DCHI/SSB) <zlc9@cdc.gov>; Erica.R.Thomasson@wv.gov; Patrick.M.Murphy@wv.gov

Subject: FW: PFAS Questions from ATSDR (Martinsburg)

Hello, Walt

This is one of the things I just left you a voicemail message about.

I am so sorry but ATSDR is coming back to evaluating the PFAS drinking water contamination in the Martinsburg system. I know we said back in July after you and the City started helping us with this that this location was no longer under consideration. It is back on the table. I've attached a letter summarizing the data needs (very similar to the ones we discussed a few months ago, with a few more details added) we are hoping to track down by the end of next week (10/26). Could you let me know what is feasible??

I included your email from July describing where you thought this information resided. I did not send this directly to the City contacts you have below, because I thought I should touch base with you first. I could address this letter to them if you think that would be better? Whatever you recommend. Hopefully picking this back up where we left off won't be too terrible??

Thank you, thank you, Lora

PS

Let's table the other items I need to talk to you about (Shaffer Public Health Assessment plans, N 25th and Zinc daycare/lead stuff) until we can get through this urgent PFAS need.

Lora Siegmann Werner, MPH
Regional Director, Region 3
Division of Community Health Investigations
Agency for Toxic Substances & Disease Registry (ATSDR)/Centers for Disease Control & Prevention c/o EPA Region 3

1650 Arch Street Mailstop 3HS00 Philadelphia, PA 19103

Desk phone: 215-814-3141 Cell phone: 215-588-9778

Fax: 215-814-3003

Emails (only need to use one): <u>lkw9@cdc.gov</u> and <u>werner.lora@epa.gov</u>

Please note: emails may appear as @epa.gov because we share IT services in our regional office

From: Ivey, Walter M [mailto:Walter.M.Ivey@wv.gov]

Sent: Friday, July 20, 2018 3:56 PM

To: sknpmtbgwater (sknpmtbgwater@comcast.net) <sknpmtbgwater@comcast.net>; sblair48@yahoo.com **Cc:** Marchun, Alan F <Alan.F.Marchun@wv.gov>; Lloyd, Christine <Lloyd.Christine@epa.gov>; Werner, Lora

<<u>Werner.Lora@epa.gov</u>>; Helverson, Robert <<u>Helverson.Robert@epa.gov</u>>; Murphy, Patrick M <<u>Patrick.M.Murphy@wv.gov</u>>; Ellars, James W <<u>James.W.Ellars@wv.gov</u>>; Thomasson, Erica R

<Erica.R.Thomasson@wv.gov>

Subject: PFAS Questions from ATSDR

Steve and Sam,

The questions that were discussed yesterday. We are gathering the MOR's and have most of them. There are some that we have to get from Archive and should have them by the middle of next week. If there are any that we can't find, will let you know. Thanks for providing the information. Please don't hesitate to reach out if you have any questions. Walt

Confidentiality Notice: This message, including any attachments, is for the sole use of the individual or entity named above. The message may contain confidential health and/or legally privileged information. If you are not the above-named recipient, you are hereby notified that any disclosure, copying, distribution, or action taken in reliance on the content of this message is strictly prohibited. If you have received this message in error, please notify the sender immediately and destroy all copies of the original message.